



METAL BASE
FINISH –

MODEL
NUMBER –

METAL BASE
FINISH –

DRT20D16-U –CH

- GM** Gunmetal
- MB** Metallic Beige
- SB** Smooth Black
- SS** Smooth Silver
- TB** Textured Black
- TN** Textured Nickel

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U

DESCRIPTION –

Drum Table
20" x 16"




DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT20D16-U | 1631 | 1679 | 1726 | 1773 | 1820 | 1868 | 1916 | 1963 |

DRT20D20-U

DESCRIPTION –

Drum Table
20" x 20"




DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT20D20-U | 1691 | 1750 | 1808 | 1867 | 1926 | 1983 | 2043 | 2101 |

DRT24D16-U

DESCRIPTION –

Drum Table
24" x 16"




DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT24D16-U | 1751 | 1821 | 1890 | 1960 | 2030 | 2100 | 2170 | 2240 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT24D20-U

DESCRIPTION –

Drum Table
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 30

OPTIONS –

Moisture barrier +55
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT24D20-U | 1811 | 1893 | 1972 | 2053 | 2136 | 2217 | 2300 | 2381 |

DRT30D16-U

DESCRIPTION –

Bora Table
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT30D16-U | 1872 | 1964 | 2055 | 2147 | 2241 | 2332 | 2427 | 2521 |

DRT30D20-U

DESCRIPTION –

Drum Table
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS –

Moisture barrier +70
A/C receptacle with USB port* +395




*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT30D20-U | 1929 | 2034 | 2137 | 2241 | 2346 | 2449 | 2553 | 2657 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U

DESCRIPTION -

Drum Table
36" x 16"



DIMENSIONS -

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 43

OPTIONS -

Moisture barrier +70
A/C receptacle with USB port* +395



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT36D16-U | 2045 | 2161 | 2277 | 2394 | 2510 | 2627 | 2744 | 2861 |

DRT36D20-U

DESCRIPTION -

Drum Table
36" x 20"




DIMENSIONS -

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 47

OPTIONS -

Moisture barrier +85
A/C receptacle with USB port* +395



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT36D20-U | 2160 | 2289 | 2417 | 2546 | 2676 | 2805 | 2935 | 3065 |

DRT42D16-U

DESCRIPTION -

Drum Table
42" x 16"



DIMENSIONS -

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 55

OPTIONS -

Moisture barrier +75
A/C receptacle with USB port* +395



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|------------|-------|------|------|------|------|------|------|------|
| DRT42D16-U | 2274 | 2416 | 2558 | 2699 | 2842 | 2983 | 3125 | 3268 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 41

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------------|-------|------|------|------|------|------|------|------|
| DRT20D16-U-PL | 2152 | 2198 | 2246 | 2293 | 2341 | 2387 | 2436 | 2484 |

DRT20D20-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 20"




DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 44

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------------|-------|------|------|------|------|------|------|------|
| DRT20D20-U-PL | 2297 | 2354 | 2413 | 2472 | 2531 | 2589 | 2648 | 2707 |

DRT24D16-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 16"




DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 57

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395




*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------------|-------|------|------|------|------|------|------|------|
| DRT24D16-U-PL | 2442 | 2510 | 2580 | 2652 | 2722 | 2790 | 2862 | 2933 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT24D20-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|----------------------|-------|------|------|------|------|------|------|------|
| DRT24D20-U-PL | 2586 | 2666 | 2747 | 2831 | 2912 | 2992 | 3075 | 3159 |

DRT30D16-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|----------------------|-------|------|------|------|------|------|------|------|
| DRT30D16-U-PL | 2731 | 2822 | 2914 | 3010 | 3102 | 3193 | 3289 | 3385 |

DRT30D20-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS


*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|----------------------|-------|------|------|------|------|------|------|------|
| DRT30D20-U-PL | 2875 | 2979 | 3083 | 3187 | 3291 | 3395 | 3499 | 3603 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 115

OPTIONS –

Moisture barrier +70
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------------|-------|------|------|------|------|------|------|------|
| DRT36D16-U-PL | 3076 | 3193 | 3310 | 3426 | 3543 | 3660 | 3777 | 3893 |

DRT36D20-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 20"




DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 118

OPTIONS –

Moisture barrier +85
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------------|-------|------|------|------|------|------|------|------|
| DRT36D20-U-PL | 3278 | 3407 | 3537 | 3666 | 3795 | 3925 | 4055 | 4186 |

DRT42D16-U-PL

DESCRIPTION –

Drum Table, plinth base
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 150

OPTIONS –

Moisture barrier +75
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------------|-------|------|------|------|------|------|------|------|
| DRT42D16-U-PL | 3481 | 3622 | 3764 | 3905 | 4048 | 4189 | 4331 | 4474 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT20D16-U-S | 1865 | 1912 | 1959 | 2007 | 2054 | 2101 | 2149 | 2197 |

DRT20D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT20D20-U-S | 1925 | 1983 | 2042 | 2100 | 2160 | 2217 | 2277 | 2335 |

DRT24D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.5
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT24D16-U-S | 2034 | 2105 | 2174 | 2243 | 2313 | 2384 | 2454 | 2524 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

DRT24D20-U-S

DESCRIPTION –

Drum Table

With solid surface top

24" x 20"



DIMENSIONS –

Width 24

Height 20

COM Yard 2.5

Cubic Feet 7

Ship Weight 30

OPTIONS –

Moisture barrier +55

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT24D20-U-S | 2095 | 2176 | 2256 | 2337 | 2419 | 2500 | 2583 | 2665 |

DRT30D16-U-S

DESCRIPTION –

Drum Table

With solid surface top

30" x 16"



DIMENSIONS –

Width 30

Height 16

COM Yard 2.75

Cubic Feet 8

Ship Weight 35

OPTIONS –

Moisture barrier +45

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT30D16-U-S | 2205 | 2297 | 2388 | 2480 | 2574 | 2665 | 2760 | 2854 |

DRT30D20-U-S

DESCRIPTION –

Drum Table, solid surface top

With solid surface top

30" x 20"



DIMENSIONS –

Width 30

Height 20

COM Yard 2.75

Cubic Feet 10

Ship Weight 41

OPTIONS –

Moisture barrier +70

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT30D20-U-S | 2262 | 2367 | 2470 | 2574 | 2679 | 2782 | 2885 | 2990 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U-S

DESCRIPTION –

Drum Table

With solid surface top

36" x 16"



DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 43

OPTIONS –

Moisture barrier +70

A/C receptacle with USB port* +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT36D16-U-S | 2538 | 2655 | 2770 | 2887 | 3003 | 3120 | 3237 | 3354 |

DRT36D20-U-S

DESCRIPTION –

Drum Table

With solid surface top

36" x 20"



DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 47

OPTIONS –

Moisture barrier +85

A/C receptacle with USB port* +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT36D20-U-S | 2653 | 2783 | 2910 | 3039 | 3169 | 3299 | 3428 | 3558 |

DRT42D16-U-S

DESCRIPTION –

Drum Table

With solid surface top

42" x 16"



DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 55

OPTIONS –

Moisture barrier +75

A/C receptacle with USB port* +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------|-------|------|------|------|------|------|------|------|
| DRT42D16-U-S | 2849 | 2990 | 3132 | 3274 | 3416 | 3557 | 3700 | 3843 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 16"



DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 41

OPTIONS –

Moisture barrier +40

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT20D16-U-PL-S | 2386 | 2432 | 2480 | 2526 | 2574 | 2622 | 2669 | 2717 |

DRT20D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 20"



DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 44

OPTIONS –

Moisture barrier +40

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT20D20-U-PL-S | 2531 | 2588 | 2646 | 2706 | 2764 | 2823 | 2882 | 2941 |

DRT24D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 16"



DIMENSIONS –

Width 24

Height 16

COM Yard 2.25

Cubic Feet 5

Ship Weight 57

OPTIONS –

Moisture barrier +45

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT24D16-U-PL-S | 2725 | 2794 | 2864 | 2935 | 3004 | 3074 | 3139 | 3216 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

DRT24D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 20"



DIMENSIONS –

Width 24

Height 20

COM Yard 2.25

Cubic Feet 7

Ship Weight 60

OPTIONS –

Moisture barrier +55

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT24D20-U-PL-S | 2870 | 2949 | 3030 | 3115 | 3195 | 3275 | 3358 | 3442 |

DRT30D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

30" x 16"



DIMENSIONS –

Width 30

Height 16

COM Yard 2.75

Cubic Feet 8

Ship Weight 85


OPTIONS –

Moisture barrier +45

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT30D16-U-PL-S | 3065 | 3156 | 3248 | 3343 | 3435 | 3526 | 3622 | 3718 |

DRT30D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

30" x 20"



DIMENSIONS –

Width 30

Height 20

COM Yard 2.75

Cubic Feet 10

Ship Weight 90


OPTIONS –

Moisture barrier +70

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT30D20-U-PL-S | 3208 | 3313 | 3415 | 3520 | 3624 | 3728 | 3832 | 3937 |

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 16"



DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 115

OPTIONS –

Moisture barrier +70

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT36D16-U-PL-S | 3570 | 3686 | 3803 | 3919 | 4036 | 4153 | 4270 | 4385 |

DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 20"



DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 118

OPTIONS –

Moisture barrier +85

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT36D20-U-PL-S | 3771 | 3900 | 4030 | 4159 | 4288 | 4418 | 4549 | 4679 |

DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

42" x 16"



DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier +75

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

| MODEL NO. | COM/1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----------------|-------|------|------|------|------|------|------|------|
| DRT42D16-U-PL-S | 4055 | 4196 | 4339 | 4480 | 4622 | 4763 | 4906 | 5048 |