



METAL BASE
FINISH –

MODEL
NUMBER –

METAL BASE
FINISH –

DRT20D16-U –CH

- GM** Gunmetal
- MB** Metallic Beige
- SB** Smooth Black
- SS** Smooth Silver
- TB** Textured Black
- TN** Textured Nickel

Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT20D16-U

DESCRIPTION -

Drum Table
20" x 16"



DIMENSIONS -

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS -

Moisture barrier +40
A/C receptacle with USB port* +395



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U	1600	1647	1693	1740	1785	1832	1879	1926

DRT20D20-U

DESCRIPTION -

Drum Table
20" x 20"



DIMENSIONS -

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS -

Moisture barrier +40
A/C receptacle with USB port* +395



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U	1659	1717	1773	1831	1889	1946	2004	2061

DRT24D16-U

DESCRIPTION -

Drum Table
24" x 16"



DIMENSIONS -

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 26

OPTIONS -

Moisture barrier +45
A/C receptacle with USB port* +395



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U	1718	1787	1854	1923	1991	2060	2129	2198

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U

DESCRIPTION -

Drum Table
24" x 20"



DIMENSIONS -

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 30

OPTIONS -

Moisture barrier +55
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U	1777	1856	1935	2014	2095	2175	2256	2336

DRT30D16-U

DESCRIPTION -

Bora Table
30" x 16"




DIMENSIONS -

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS -

Moisture barrier +45
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U	1836	1926	2016	2106	2199	2288	2381	2473

DRT30D20-U

DESCRIPTION -

Drum Table
30" x 20"




DIMENSIONS -

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS -

Moisture barrier +70
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U	1893	1995	2096	2199	2301	2402	2504	2607

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U

DESCRIPTION -

Drum Table
36" x 16"



DIMENSIONS -

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 43

OPTIONS -

Moisture barrier +70
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U	2006	2120	2234	2348	2462	2577	2691	2806

DRT36D20-U

DESCRIPTION -

Drum Table
36" x 20"



DIMENSIONS -

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 47

OPTIONS -

Moisture barrier +85
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U	2119	2246	2371	2497	2625	2752	2880	3007

DRT42D16-U

DESCRIPTION -

Drum Table
42" x 16"



DIMENSIONS -

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 55

OPTIONS -

Moisture barrier +75
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U	2231	2370	2509	2648	2788	2926	3066	3206

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 41

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



LOCATED SIDE FRONT
POWER WITH 2 USB PORTS
*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2111	2156	2203	2249	2296	2342	2389	2436

DRT20D20-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 20"




DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 44

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



LOCATED SIDE FRONT
POWER WITH 2 USB PORTS
*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2253	2309	2367	2425	2483	2540	2598	2656

DRT24D16-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 57

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395



LOCATED SIDE FRONT
POWER WITH 2 USB PORTS
*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2395	2462	2531	2601	2670	2737	2807	2877

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2537	2615	2695	2777	2856	2935	3017	3099

DRT30D16-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	2679	2768	2859	2953	3043	3132	3226	3321

DRT30D20-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
A/C receptacle with USB port* +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	2820	2923	3024	3126	3229	3330	3432	3535

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 115

OPTIONS –

Moisture barrier +70
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3018	3132	3247	3361	3476	3590	3705	3819

DRT36D20-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 20"




DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 118

OPTIONS –

Moisture barrier +85
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3215	3342	3470	3596	3723	3850	3978	4106

DRT42D16-U-PL

DESCRIPTION –

Drum Table, plinth base
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 150

OPTIONS –

Moisture barrier +75
A/C receptacle with USB port* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3414	3553	3693	3831	3971	4109	4249	4389

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	1829	1876	1921	1969	2015	2061	2108	2155

DRT20D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	1888	1946	2003	2060	2119	2175	2233	2290

DRT24D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.5
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	1996	2065	2132	2200	2269	2338	2407	2476

Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT24D20-U-S

DESCRIPTION –

Drum Table

With solid surface top

24" x 20"



DIMENSIONS –

Width 24

Height 20

COM Yard 2.5

Cubic Feet 7

Ship Weight 30

OPTIONS –

Moisture barrier +55

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2055	2135	2213	2293	2373	2453	2533	2614

DRT30D16-U-S

DESCRIPTION –

Drum Table

With solid surface top

30" x 16"



DIMENSIONS –

Width 30

Height 16

COM Yard 2.75

Cubic Feet 8

Ship Weight 35

OPTIONS –

Moisture barrier +45

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2163	2253	2342	2433	2525	2614	2707	2800

DRT30D20-U-S

DESCRIPTION –

Drum Table, solid surface top

With solid surface top

30" x 20"



DIMENSIONS –

Width 30

Height 20

COM Yard 2.75

Cubic Feet 10

Ship Weight 41

OPTIONS –

Moisture barrier +70

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2219	2322	2423	2525	2628	2729	2830	2933

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
36" x 16"




DIMENSIONS –

Width 36
Height 16
COM Yard 1.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2490	2605	2717	2832	2946	3061	3175	3290

DRT36D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
36" x 20"




DIMENSIONS –

Width 36
Height 20
COM Yard 1.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
A/C receptacle with USB port* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	2602	2730	2855	2981	3108	3236	3363	3490

DRT42D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
42" x 16"




DIMENSIONS –

Width 42
Height 16
COM Yard 2
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
A/C receptacle with USB port* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	2794	2933	3072	3211	3351	3489	3629	3769

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 16"



DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 41

OPTIONS –

Moisture barrier +40

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL-S	2340	2386	2433	2478	2525	2572	2618	2665

DRT20D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 20"



DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 44

OPTIONS –

Moisture barrier +40

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL-S	2483	2539	2596	2654	2712	2769	2827	2885

DRT24D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 16"



DIMENSIONS –

Width 24

Height 16

COM Yard 2.25

Cubic Feet 5

Ship Weight 57

OPTIONS –

Moisture barrier +45

A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL-S	2673	2740	2809	2879	2947	3015	3079	3155

Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT24D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With solid surface top
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
A/C receptacle with USB port* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	2816	2893	2973	3055	3134	3212	3294	3377

DRT30D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With solid surface top
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3007	3096	3186	3279	3369	3459	3553	3647

DRT30D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With solid surface top
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3147	3250	3350	3453	3555	3657	3759	3862

Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 16"



DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 115

OPTIONS –

Moisture barrier +70

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	3502	3616	3730	3845	3959	4074	4188	4302

DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 20"



DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 118

OPTIONS –

Moisture barrier +85

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	3699	3826	3953	4080	4206	4334	4462	4589

DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

42" x 16"



DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier +75

A/C receptacle with USB port* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	3977	4116	4256	4394	4534	4672	4812	4952