

Healthcare Performance Fabrics

Stance

Pattern	Grade
Aries	5
Taurus	5

Pamaz[®]





Aries
925 Putty



Taurus
925 Putty



Aries
709 Pecan



Taurus
826 Taupe



Aries
805 Cream



Taurus
813 Linen



Aries
823 Chablis



Taurus
858 Cobble



Aries
858 Cobble



Taurus
703 Mink



Aries
814 Espresso



Taurus
807 Mushroom



Aries
815 Buff



Taurus
709 Pecan



Aries
817 Chestnut



Taurus
817 Chestnut



Aries
116 Navy



Taurus
105 Indigo



Aries
122 Wedgewood Blue



Taurus
193 Petrol




Aries
949 Noir



Taurus
904 Pewter



Aries
971 Nickel



Taurus
954 Graphite



Aries
411 Spice



Taurus
408 Terracotta



Aries
770 Nutmeg



Taurus
801 Tan



Aries
407 Burgundy




Taurus
414 Wine



Aries
467 Bordeaux



Taurus
803 Mahogany



Aries
134 Sky



Taurus
167 Night




Aries
155 Duck Egg Blue



Taurus
151 Teal




Aries
919 Zinc



Taurus
906 Ash



Aries
901 Silver



Taurus
155 Duck Egg Blue



Aries
226 Lime



Taurus
231 Olive



Aries
233 Pistachio



Taurus
238 Citrus

PVC FREE	LATEX FREE		BR FREE	BPA FREE		PBT FREE
PVC Free	Latex Free	Heavy Metals Free	Bromine Free	Bisphenol A Free	RoHS Compliant	



ARIES

DESIGN	COMPOSITION	APPLICATION	BACKING	WEIGHT	WIDTH	ABRASION	COLOUR FASTNESS TO LIGHT	COLOUR FASTNESS TO RUBBING	WATERPROOF	FLAMMABILITY RATINGS							
										BS7176: Medium Hazard	BS6852 2006 Ignition Source 5	EN 1021-1/2	IMO FTP 2010 Part 8	PROP 65 COMPLIANT	AB2998 COMPLIANT	CAL TB 117-13	NFPA 260 USA
ARIES	100% Silicone	Contract Upholstery	100% Polyester backing	17.3oz/yd ² +/- 10%	Approx 54"	200,000+ Wyzenbeek D.R.	Grade 6	Dry < 5 Wet < 5	3ft	•	•	•	•	•	•	•	•

TAURUS

DESIGN	COMPOSITION	APPLICATION	BACKING	WEIGHT	WIDTH	ABRASION	COLOUR FASTNESS TO LIGHT	COLOUR FASTNESS TO RUBBING	WATERPROOF	FLAMMABILITY RATINGS							
										BS7176: Medium Hazard	BS6852 2006 Ignition Source 5	EN 1021-1/2	IMO FTP 2010 Part 8	PROP 65 COMPLIANT	AB2998 COMPLIANT	CAL TB 117-13	NFPA 260 USA
TAURUS	100% Silicone	Contract Upholstery	100% Polyester backing	17.3oz/yd ² +/- 10%	Approx 54"	200,000+ Wyzenbeek D.R.	Grade 6	Dry < 5 Wet < 5	3ft	•	•	•	•	•	•	•	•

ADDITIONAL PROPERTIES	<ul style="list-style-type: none"> • Environmental choice • Bleach cleanable • High performance choice • No fluocarbons or perfluorinated compounds • No added flame retardants • No added antimicrobials • Does not contain formaldehyde • Does not contain plasticizers • Healthier Hospitals Initiative Compliant
RECOMMENDED CLEANING	<ul style="list-style-type: none"> ✓ Vacuum and wipe clean routinely with a microfibre cloth lightly dampened with cold water only. ✓ Soak up spillages as soon as possible with an absorbent dry cloth to prevent staining. ✓ Remove body fluids and extreme soiling immediately with cold water then apply approved infection control protocol: Haz Tabs, Chlor Clean or Clorox Healthcare products. As the concentration of bleach can vary greatly among proprietary brands we recommend these be avoided, but in extreme circumstances a 10% solution may be used. Remove product residues and then dry with clean absorbent cloth. ✗ Do not steam clean - heat seals in stains. ✗ Do not tumble dry. ✗ Do not dry clean. ✗ Do not fully immerse in water.
CONTINUITY	Although every effort is made to ensure that fabrics ordered match the colours in this pattern card, slight variations may occur from batch to batch.
Please note Panaz reserve the right to update product specification at their discretion.	



45 Goodrich Dr.
Kitchener, Ontario.
N2C 0B8
tel: 1-877-395-2623
fax: 1-877-393-6270
web: www.stancehealthcare.com



Panaz USA Inc.
Access Office Business Center
8801 Fast Park Drive, Suite 301
Raleigh, NC 27617 USA
Tel: 919-747-8211
email: sales@panaz.com
www.panaz.com